



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-1 GENERAL SKILL REQUIREMENTS

Evaluation Sheet: 6-1.1.2

Candidate: _____

Date: _____

SS#: _____

STANDARD: 4-1.1.2 NFPA 1001, 2002 Edition	TASK: Organize, coordinate, and function within an incident management system.				
PERFORMANCE OUTCOME: The candidate shall be able to determine the need for command, organize, and coordinate an incident management system (IMS) until command is transferred, and be able to function within a commonly assigned IMS role.					
CONDITIONS: Given an incident scenario and a series of questions, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Determine the need for command				
2.	Implement an incident management system (IMS)				
3.	Organize an incident management structure				
4.	Coordinate an incident management system until transferred				
5.	Transfer command to an incoming incident commander				
6.	Assume an IMS role by describing the duties for the following:				
	1) Division, Group, or Sector Supervisor				
	2) Operations Section Chief				
	3) Incident Safety Officer				
	4) Public Information Officer				
	5) Liaison Officer				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-2 FIRE DEPARTMENT COMMUNICATIONS

Evaluation Sheet: 6-2.1

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-2.1 NFPA 1001, 2002 Edition	TASK: Complete a basic incident report.				
PERFORMANCE OUTCOME: The candidate shall be able to prepare a basic incident report that records all pertinent information, ensuring accuracy and completeness.					
CONDITIONS: Given a report form, guidelines, and incident information, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Determine the necessary data management codes used for recording coded information				
2.	Complete all applicable alarm information sections				
3.	Complete all applicable narrative sections				
4.	Operate the equipment normally used by local agencies for completing incident reports				
5.	Proofread report to ensure accuracy and completeness				
6.	Route, file, and/or forward report in accordance with local agency criteria				
RETEST APPROVED BY:		RETEST EVALUATOR:			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-2 FIRE DEPARTMENT COMMUNICATIONS

Evaluation Sheet: 6-2.2

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-2.2 NFPA 1001, 2002 Edition	TASK: Operate communications equipment to request team assistance.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate, following standard procedures, shall be able to provide situational reports and communicate the need for team assistance so that team assignments are performed safely.					
CONDITIONS: Given radio equipment, standard procedures, a team, and a scenario, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Identify and operate the basic features of selected radio equipment				
2.	Operate radio equipment in accordance with standard operating procedures				
3.	Transmit situation reports that accurately communicate conditions and the team's situational status				
4.	Identify conditions that warrant the need for additional personnel				
5.	Identify conditions that warrant the need for replacement personnel				
6.	Effectively communicate a request for team assistance within an incident management system				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.1A

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.1A NFPA 1001, 2002 Edition	TASK: Assemble a foam fire stream.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate shall be able to select the proper foam concentrate, assemble, and place into operation, a foam fire stream for a given ignitable liquid fuel and conditions.					
CONDITIONS: Given a scenario, an attack line, a foam proportioning device, a selection of foam concentrate, and a water supply, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Select the appropriate foam concentrate for the given fuel and conditions				
2.	Prepare the foam concentrate for the given fuel and conditions				
3.	Assemble the foam proportioning device with the foam concentrate				
4.	Adjust the foam proportioning device based on the selected foam concentrate				
5.	Assemble, position, and prepare the hose line for fire attack				
6.	Assemble, position, and prepare personnel for fire attack				
7.	Charge the hoseline so that it produces a properly proportioned foam fire stream				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.1B

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.1B NFPA 1001, 1997 Edition	TASK: Extinguish an ignitable liquid fire using a foam fire stream.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate shall be able to extinguish an ignitable liquid fire by blanketing a foam fire stream over the fuel's surface, re-ignition is prevented, and team safety is maintained.					
CONDITIONS: Given a live fire or a simulated scenario, an assembled foam fire stream, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Prepare personnel, place attack line in position upwind, and check nozzle for proper production of foam solution				
2.	Coordinate the attack team's advancement toward the fire so that a smooth and safe approach is maintained. Choose one.				
	a) Apply a foam blanket over the fuel's surface by using the Roll-On Method				
	b) Apply a foam blanket over the fuel's surface by using the Bank-Down Method				
	c) Apply a foam blanket over the fuel's surface by using the Rain-Down Method				
3.	Prevent re-ignition by maintaining a foam blanket				
4.	Coordinate the attack team's retreat so that the hazard is faced until the entire team reaches a safe haven				
5.	Maintained the personal safety of all attack team members				
RETEST APPROVED BY: _____			RETEST EVALUATOR: _____		

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.2A

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.2A NFPA 1001, 2002 Edition	TASK: Coordinate an interior fire attack team for a structure fire at ground level.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate shall be able to coordinate the interior attack of a structure fire at ground level by maintaining crew integrity, predicting fire behavior, forecasting developing hazards, and selecting the proper attack technique while incorporating forcible entry, ventilation, and search and rescue activities.					
CONDITIONS: Given a grade level fire scenario, attack lines, personnel, and tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Assemble all of the required personnel, attack lines, needed equipment, and forcible entry tools				
2.	Communicate the team's action plan for entry				
3.	Select, communicate, and coordinate the application of an (choose one):				
	a) In-direct attack for intense fire conditions				
	b) Combination attack for moderate fire conditions				
	c) Direct attack for tenable fire conditions				
4.	Conduct a size-up that considers the scenario's anticipated fire spread and development				
5.	Determine any developing and/or potential hazardous building or fire conditions				
6.	Incorporate forcible entry, ventilation, and search and rescue procedures into the team's initial fire attack efforts				
7.	Coordinate the attack teams efforts while maintaining the personal safety of all personnel				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.2B

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.2B NFPA 1001, 2002 Edition	TASK: Coordinate an interior fire attack team for a structure fire above ground.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate shall be able to coordinate the interior attack of a structure fire above ground by maintaining crew integrity, predicting fire behavior, forecasting developing hazards, and selecting the proper attack technique while incorporating forcible entry, ventilation, and search and rescue activities.					
CONDITIONS: Given an above ground fire scenario, attack lines, personnel, and tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Assemble all of the required personnel, attack lines, needed equipment, and forcible entry tools				
2.	Advance the team to a safe haven assembly point located directly below the fire area				
3.	Communicate the team's action plan for advancement and entry				
4.	Select, communicate, and coordinate the application of an (choose one): a) In-direct attack for intense fire conditions b) Combination attack for moderate fire conditions c) Direct attack for tenable fire conditions				
5.	Conduct a size-up that considers the scenario's anticipated fire spread and development				
6.	Determine any developing and/or potential hazardous building or fire conditions				
7.	Incorporate forcible entry, ventilation, and search and rescue procedures into the team's initial fire attack efforts				
8.	Coordinate the attack team's efforts while maintaining the personal safety of all personnel				
RETEST APPROVED BY:		RETEST EVALUATOR:			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.2C

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.2C NFPA 1001, 2002 Edition	TASK: Coordinate an interior fire attack team for a structure fire below grade or in a basement.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate shall be able to coordinate the interior attack of a structure fire in a basement by maintaining crew integrity, predicting fire behavior, forecasting developing hazards, and selecting the proper attack technique while incorporating forcible entry, ventilation, and search and rescue activities.					
CONDITIONS: Given a basement fire scenario, attack lines, personnel, and tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Assemble all of the required personnel, attack lines, needed equipment, and forcible entry tools				
2.	Ensure that adequate ventilation is established prior to entry				
3.	Communicate the team's action plan for advancement and entry				
4.	Select, communicate, and coordinate the application of an (choose one):				
	a) In-direct attack for intense fire conditions				
	b) Combination attack for moderate fire conditions				
	c) Direct attack for tenable fire conditions				
5.	Conduct a size-up that considers the scenario's anticipated fire spread and development				
6.	Determine any developing and/or potential hazardous building or fire conditions				
7.	Incorporate forcible entry, ventilation, and search and rescue procedures into the team's initial fire attack efforts				
8.	Coordinate the attack team's efforts while maintaining the personal safety of all personnel				
RETEST APPROVED BY:		RETEST EVALUATOR:			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.2D

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.2D NFPA 1001, 2002 Edition	TASK: Coordinate an interior fire attack team for a structure fire in an attic.				
PERFORMANCE OUTCOME: While operating as a team leader, the candidate shall be able to coordinate the interior attack of a structure fire in an attic by maintaining crew integrity, predicting fire behavior, forecasting developing hazards, and selecting the proper attack technique while incorporating forcible entry, ventilation, and search and rescue activities.					
CONDITIONS: Given an attic fire scenario, attack lines, personnel, and tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Assemble all of the required personnel, attack lines, needed equipment, and forcible entry tools				
2.	Communicate the team's action plan for entry				
3.	Evaluate and forecast the given fire scenario's anticipated growth and development				
4.	Select an attic access point and coordinate efforts to provide access to area of involvement for fire attack				
5.	Select, communicate, and coordinate the application of an (choose one):				
	a) In-direct attack for intense fire conditions				
	b) Combination attack for moderate fire conditions				
	c) Direct attack for tenable fire conditions				
6.	Conduct a size-up that considers the scenario's anticipated fire spread and development				
7.	Incorporate forcible entry, ventilation, and search and rescue procedures into the team's initial fire attack efforts				
8.	Coordinate the attack team's efforts while maintaining the personal safety of all personnel				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.3

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.3 NFPA 1001, 2002 Edition		TASK: Control a flammable gas cylinder fire.			
PERFORMANCE OUTCOME: While operating under the direct supervision of a team leader, the candidate shall be able to control a flammable gas cylinder fire by advancing a hose line to a point where control valves can be operated.					
CONDITIONS: Given a flammable gas cylinder fire scenario, an attack line, and tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Advance toward the fire so that a smooth, controlled, and safe approach is maintained				
2.	As directed, operate the nozzle and adjust patterns for the various techniques of using a: a) Straight stream for reach and initial cooling b) Narrow fog stream to cool the cylinder c) Wide fog stream to shield personnel from flames and to push flames away from control valves				
3.	Cite the common indicators used for assessing cylinder integrity and monitoring for changing conditions				
4.	Select appropriate procedures for when changes in conditions occur				
5.	Advance and position fire streams in a manner that provides safe access for personnel to operate control valves				
6.	Apply the fire stream without extinguishing the flames unless leaking gas has been stopped				
7.	Operate control valves so that gas flow is stopped				
8.	While facing the hazard, retreat in a smooth and controlled manner until the entire team reaches a safe haven				
RETEST APPROVED BY:			RETEST EVALUATOR:		

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU FIREFIGHTER II

6-3 FIREGROUND OPERATIONS

Evaluation Sheet: 6-3.4

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-3.4 NFPA 1001, 2002 Edition		TASK: Protect evidence of fire cause and origin.			
PERFORMANCE OUTCOME: The candidate shall be able to protect evidence of fire cause and origin so that the evidence is properly noted and protected from further disturbance until turned over to fire investigators.					
CONDITIONS: Given a fire cause and origin scenario, a flashlight, and overhaul tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Identify the indicators commonly used to locate a fire's point of origin				
2.	Recognize the indicators commonly used to identify possible sources of fire cause				
3.	Recognize possible signs of arson (such as trailers, accelerants, incendiary devices, etc.)				
4.	Protect evidence from being destroyed or improperly handled during salvage and overhaul operations				
5.	Preserve evidence by securing the immediate area				
6.	Secure the scene in accordance with local agency procedures				
RETEST APPROVED BY:			RETEST EVALUATOR:		

Evaluator/Candidate Comments: _____

_____	_____	_____	_____
Evaluator (Print & Sign)	Date	Candidate	Date
_____	_____	_____	_____
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-4 RESCUE OPERATIONS

Evaluation Sheet: 6-4.1

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-4.1 NFPA 1001, 2002 Edition	TASK: Extricate a victim entrapped in a motor vehicle.				
PERFORMANCE OUTCOME: While operating under the direction of a team leader, the candidate shall be able to extricate a victim entrapped in a vehicle so that the victim can be disentangled without undue further injury and hazards are managed.					
CONDITIONS: Given a vehicle extrication scenario, stabilization, and extrication tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Size up the situation to identify hazards, determine required stabilization, and to select extrication techniques				
2.	Stabilize a vehicle using cribbing and shoring material				
3.	Operate both hand and power extrication tools in a safe and efficient manner. Choose a minimum of two of the following, applying appropriate techniques for moving or removing:				
	a) Vehicle roofs				
	b) Vehicle doors				
	c) Vehicle windshields and windows				
	d) Vehicle steering wheels and/or columns				
	e) Vehicle dashboards				
4.	Perform extrication techniques so that the victim can be disentangled without undue further injury				
RETEST APPROVED BY:			RETEST EVALUATOR:		

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-4 RESCUE OPERATIONS

Evaluation Sheet: 6-4.2

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-4.2 NFPA 1001, 2002 Edition	TASK: Assist rescue teams during a specialized rescue.				
PERFORMANCE OUTCOME: While operating under the direction of a specialized rescue team, the candidate shall be able to assist by following procedures, quickly recognizing and retrieving rescue items, and completing assignments.					
CONDITIONS: Given a special rescue scenario, standard operating procedures, necessary rescue equipment, and assignment direction, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Identify and retrieve the tools and equipment commonly used to perform a special rescue				
2.	Establish public barriers so that bystanders are isolated from the rescue scene				
3.	Assist rescue teams by completing assigned tasks for one of the following scenarios (choose one): a) Structural collapse b) Trench collapse c) Cave and/or tunnel emergencies d) Water and/or ice emergencies e) Elevator emergencies f) Escalator emergencies g) Energized electrical line emergencies h) Industrial accidents				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date



FIRE PROTECTION BUREAU FIREFIGHTER II

6-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE

Evaluation Sheet: 6-5.1

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-5.1 NFPA 1001, 2002 Edition		TASK: Prepare a pre-incident survey.			
PERFORMANCE OUTCOME: The candidate shall be able to prepare a pre-incident survey so that all required occupancy information is recorded, items of concern are noted, and accurate diagrams are prepared.					
CONDITIONS: Given a pre-incident survey form, necessary tools, and survey information, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Appropriately notify the building occupant and arrange to complete the field survey				
2.	Identify the components of fire suppression and detection systems to include in the survey				
3.	Sketch the site, buildings, and applicable special features				
4.	Detect applicable hazards to include in the pre-incident drawings				
5.	Detect applicable special considerations to include in the pre-incident diagrams				
6.	Complete all related departmental forms and final diagrams				
7.	Route, file, and/or forward report in accordance with local agency criteria				
RETEST APPROVED BY:			RETEST EVALUATOR:		

Evaluator/Candidate Comments: _____

_____ Evaluator (Print & Sign)	_____ Date	_____ Candidate	_____ Date
_____ Re-Test Evaluator	_____ Date	_____ Re-Test Candidate	_____ Date



FIRE PROTECTION BUREAU FIREFIGHTER II

6-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE

Evaluation Sheet: 6-5.2

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-5.2 NFPA 1001, 2002 Edition		TASK: Maintain power plants, power tools, and lighting equipment.			
PERFORMANCE OUTCOME: The candidate shall be able to maintain power plants, power tools, and lighting equipment so that equipment is clean and maintained according to manufacturer's and departmental guidelines, completed maintenance is recorded, and equipment is placed in a ready state or reported otherwise.					
CONDITIONS: Given the appropriate tools and manufacturer's instructions, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Inspect power plants, power tools, and lighting equipment to ensure they are in a ready state				
2.	Start and properly operate, power plants, power tools, and lighting equipment				
3.	Select the correct tools used for maintaining power plants, power tools, and lighting equipment				
4.	Follow the guidelines for maintaining power plants, power tools, and lighting equipment				
5.	Complete all applicable recording and reporting procedures, according to local agency criteria				
6.	Report out-of-service equipment according to local agency criteria				
RETEST APPROVED BY:			RETEST EVALUATOR:		

Evaluator/Candidate Comments: _____

_____ Evaluator (Print & Sign)	_____ Date	_____ Candidate	_____ Date
_____ Re-Test Evaluator	_____ Date	_____ Re-Test Candidate	_____ Date



FIRE PROTECTION BUREAU FIREFIGHTER II

6-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE

Evaluation Sheet: 6-5.3

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-5.3 NFPA 1001, 2002 Edition		TASK: Perform an annual service test on fire hose.			
PERFORMANCE OUTCOME: The candidate shall be able to, according to standard procedures, perform an annual service test of fire hose so that the condition is evaluated, damaged hose is removed from service, and the results are recorded.					
CONDITIONS: Given a pump, a marking device, pressure gauges, a timer, recordkeeping materials, and related equipment, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Mark hose directly behind coupling, inspect gasket condition, and visually inspect hose for damage				
2.	Assemble hoselines to a maximum length of 300 feet and connect to a discharge port with a restricted flow				
3.	Charge lines, bleed air from all lines, check for leaks, and tighten couplings as needed				
4.	Operate hose-testing equipment so that all hose lines are pressurized to 250 psi and maintain for 5 minutes				
5.	Decrease pressure, bleed lines, and inspect each hose for any slipped couplings				
6.	Complete all applicable recording and reporting procedures, according to local agency criteria				
7.	Report any out-of-service hose, according to local agency criteria				
RETEST APPROVED BY:			RETEST EVALUATOR:		

Evaluator/Candidate Comments:

_____ Evaluator (Print & Sign)	_____ Date	_____ Candidate	_____ Date
_____ Re-Test Evaluator	_____ Date	_____ Re-Test Candidate	_____ Date



FIRE PROTECTION BUREAU

FIREFIGHTER II

6-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE

Evaluation Sheet: 6-5.4

Candidate: _____

Date: _____

SS#: _____

STANDARD: 6-5.4 NFPA 1001, 2002 Edition	TASK: Test the operability of and flow from a fire hydrant.				
PERFORMANCE OUTCOME: The candidate shall be able to test the operability of a fire hydrant to assure its readiness and conduct a flow test so that its projected water flow capacity can be calculated and recorded.					
CONDITIONS: Given a Pitot tube, pressure gauge, and other necessary tools, the candidate shall demonstrate the ability to:					
No.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Inspect for damage and operate a pressurized fire hydrant to assure its readiness				
2.	Select a test hydrant and flow hydrant that are served by the same water main				
3.	Prepare the test hydrant by placing a pressure gauge on a port and opening to the full open position				
4.	Prepare the flow hydrant for testing by removing a port cap and preparing test equipment				
5.	Open flow hydrant to full open position, place the Pitot tube into the stream, and bleed any air from the tube				
6.	Position the Pitot tube in the center of the stream, away from the port's face at a distance 1/2 the port diameter				
7.	Record static and residual pressure readings from test hydrant and flow pressure reading from flow hydrant				
RETEST APPROVED BY: _____		RETEST EVALUATOR: _____			

Evaluator/Candidate Comments: _____

Evaluator (Print & Sign)	Date	Candidate	Date
Re-Test Evaluator	Date	Re-Test Candidate	Date